



DCA3d


Jin Huang(BNL), Haiwang Yu (NMSU)

Outline


- dca3d_z
- track fitting momentum seed
- dca3d_xy

dca3d_z double peak structure

```
40 GeV mu+
\eta(-0.5,0.5),
\phi(-\pi,\pi),
vtx(-0.1,0.1) cm
```




Cylindrical MAPS + TPC dca3d_z (GenFit Extrapolation)



Truth Tracking Test


Truth tracking both MAPS and TPC

dca3d_z (GenFit Extrapolation)




Truth tracking TPC only

dca3d_z (GenFit Extrapolation)




Truth tracking MAPS only

dca3d_z (GenFit Extrapolation)




TPC Clustering




PHG4CylinderCellTPCReco.cc

```
237 if ( z \ge 0.0 ) z = driftv * hiter->second->get_t(0);
238 else z += driftv * hiter->second->get_t(0);
238 if ( z \ge 0.0 ) z = 0*driftv * hiter->second->get_t(0);
238 else z += 0*driftv * hiter->second->get_t(0);
```

TPC Cluster ∆z after change



dca3d_z pull after change




Track fitting momentum seed

In the current sPHENIX repository, used momentum from Alan.


Changed to (100, 0, 0) fixed momentum for a while.

Noticed that gave opposite charged and opposite direction tracks.

So changed to use 100 GeV along most out measurement.




mom along last measurement





Dec. 12 10:00 AM, real tracking

0-40 GeV mu+ η (-0.5,0.5), ϕ (- π , π), vtx(-0.1,0.1) cm




Dec. 12 10:00 AM, real tracking







Truth Tracking Test


Truth tracking both MAPS and TPC







Truth tracking TPC only





Truth tracking MAPS only







Inclusive evaluation vs clusters used in tracking evaluation

30-40 GeV mu+ η (-0.5,0.5), ϕ (- π , π), vtx(-0.1,0.1) cm simulated 100k tracks

inclusive cluster evaluation




clusters used in track fitting




Inclusive evaluation vs clusters used in tracking evaluation

30-40 GeV mu+ η (-0.5,0.5), $\phi(-\pi,\pi)$, vtx(-0.1,0.1) cm simulated 100k tracks

inclusive cluster evaluation




phi - gphi




phi - gphi

clusters used in track fitting



phi - gphi




phi - gphi

Plan

- Would like to run a test run for B-jet tagging using the current configuration.
 - As the tracks used in B-jet tagging are mostly below 10 GeV.

Work with the TPC group to improve the TPC clustering and tracking.

0-40 GeV mu+ η (-0.5,0.5), ϕ (- π , π), vtx(-0.1,0.1) cm




dca3d_xy


Backups:


Truth Tracking Test continued


TPC truth r only dca3d_xy still biased

TPC truth phi only dca3d_xy centered









TPC phi Truth Tracking

30-40 GeV mu+ η (-0.5,0.5), ϕ (- π , π), vtx(-0.1,0.1) cm

